FINNISH SAUNA DREAM

New from Myrtha Wellness, Dream is a sauna experience infused with imagination to take your breath away, while yielding a tranquil whisper soulful relaxation. Utilizing the latest technology and the finest materials, Dream Sauna is the culmination of the Myrtha Wellness philosophy. Designed for private and professional use in spas and hotel suites, it also offers an exceptional home sauna experience. The innovative and clean-line design, the infusion of fragrant wood essences, the ergonomic relaxation seats, the panoramic front window, and the fully adjustable internal microclimate, make our exceptional new sauna a Dream... come true.



Product FINNISH SAUNA DREAM is 🕻 🕻 certified. 🜘 and 🔀 certified versions are available upon request.





FINISHING WALLS AND CEILING



DESIGN

DIMENSIONS (cm)	L 185 x W 160 x H 238
NUMBER OF PEOPLE (max)	2
COVERING OF THE INTERNAL WALLS	Wenge wood panels.
CEILING	Inclined wenge wood panels.
COVERING OF THE BACK OF THE HEATER	In ceramic brown.
COVERING OF THE BENCHES AND OF THE STOVE MASK	Slats in Ayous, a-thermal and chip-free wood.
DOOR	Sizes 90×220 cm, in tempered glass, 10 mm thick. Hydraulic pivoting hinges including closing speed adjustment and the end clock of the leaf. The door can remain open if the opening angle is more than 80° .
HANDLE	Model Onsen: in steel/wood - 100 cm long, square section.
LIGHTING	no. 2 spot LED on the ceiling - no. 1 LED in the water container.
FRONT WALL	Panoramic model: with front glass wall in tempered glass. 10 mm thick.
EXTERNAL FRAME	40 mm width in Ayous.
ACCESSORIES	Thermometer, hygrometer, hourglass, ladle, bucket.
BUCKET	Water bucket integrated into the wood mask of the heater.
EXTERNAL FINISH	Raw in multilayer wood.

TECHNICAL DATA SHEET

STRUCTURE	Modular self-standing structure made of prefab insulated panels, provided with tongue and groove connection frames to insure stability. Texture of upright and crossbars in Fir. Thermal insulation with high density rock wool. Steam barrier in aluminum. External covering in multilayer wood. Base structure in adjustable steel (max 10 mm).
TECHNOLOGY	Finnish Sauna.
TEMPERATURE	90°-100° C
HUMIDITY	10-20%
HEATING	Electric high performance heater for commercial use, entirely in steel. Best ratio between stone volume and air convection system for rapid heating times and powerful water infusions. Electronic control unit and temperature probe.
HEATER CONSUMPTION	4,00 kW
MAXIMUM CONSUMPTION	4,50 kW
VOLTAGE	According to the country requirement.
AIR RECYCLING	Suction chimneys on the heater back and extraction chimneys under the bench.
OPTIONAL	Audio speakers to be connected to the principal customer source. Internal emergency button to be connected to an external alarm device. Pressure safety system over the heater, stopping the unit in case of accidental contact with objects (towels, etc).
*Item to be defined	